




TURKISH-GERMAN GYNECOLOGICAL EDUCATION and RESEARCH FOUNDATION

Indexed in  
PubMed  
and Web of Science

# Journal of the Turkish-German Gynecological Association



Volume 19  
Issue 4  
December

2018

Cover Picture: Erol et al. Jejunoileal atresia

## *Relationship between maternal age, BMI and preterm birth*

Joachim W. Dudenhausen et al.; Berlin, Freiburg, Rotenburg, Kiel, Germany, New York, USA

## *The psychometric properties and the FSFI*

Masaudeh Babakhanian et al.; Semnan, Kerman, Mashhad, Iran

## *Glutathione S-transferase omega gene polymorphism*

Sara Zamani et al.; Tehran, Iran, Stockholm, Sweden

## *Isolated paraaortic nodal spread in EC*

Osman Türkmen et al.; Gaziantep, Ankara, Antalya, İstanbul, Turkey

## *Outcome of fetal urinary tract abnormalities*

Ayşegül Özel et al.; İstanbul, Turkey

## *Maternal autopsy results*

Hüseyin Levent Keskin et al.; Ankara, Turkey

## *Thyroid autoantibody levels in PCOS*

Sema Hepşen et al.; Ankara, Sivas, Turkey

**Editors in Chief**

Cihat Ünlü

Peter Mallmann

**Editors**

Gazi Yıldırım

Yaprak Engin-Üstün



3 Ovül

# Trivag Ovül

300 mg/200 mg/100 mg

Tinidazol  
Tiokonazol  
Lidokain

Candida albicans'ın oluşturduğu

► **Kandidal vulvovajinit,**

Gardnerella vaginalis ve anaerob bakterilerin oluşturduğu

► **Bakteriyel vajinozis,**

Trichomonas vaginalis'in oluşturduğu

► **Trikomonal vajinit,**

► **Mikst vajinal enfeksiyonların**

**ampirik tedavisinde tek form ile etkilidir.\***



**Tedavide rahatlık için\***

\* Trivag Kısa Ürün Bilgisi

ÜRÜN ADI: TRIVAG 300 mg/200 mg/100 mg ovül FORMÜLÜ: Her bir ovül 300 mg tinidazol, 200 mg tiokonazol, 100 mg lidokain içerir. TERAPÖTİK ENDİKASYONLAR: Candida albicans'ın oluşturduğu kandidal vulvovajinit; Gardnerella vaginalis ve anaerob bakterilerin oluşturduğu bakteriyel vajinoz ve Trichomonas vaginalis'in oluşturduğu trikomonal vajinit ile mikst vajinal enfeksiyonların tedavisinde kullanılır. KULLANIM ŞEKLİ VE DOZU: Gece yatmadan önce bir ovül, 3 gün süreyle uygulanır. TRIVAG sırtüstü yatar pozisyonda, paketin içindeki parmaklıkların yardımı ile vajen derinliğine uygulanmalıdır. İSTENMEYEN ETKİLER: Güçsüzlük, bitkinlik, halsizlik, baş ağrısı, baş dönmesi, ağızda metalik/acı tat, mide bulantısı, anoreksi, iştahsızlık, midede gaz toplanması, dispepsi, abdominal kramp, epigastrik rahatsızlık, kusma, konstipasyon, idrar renginde koyulaşma. GEBELİK VE LAKTASYON: Gebelik kategorisi C'dir. Tinidazol anne sütüne geçtiğinden emzirme döneminde tedavi sırasında bebek süten kesilmelidir, tedavi bittikten 72 saat sonra emzirmeye devam edilmelidir. DİĞER TIBBİ ÜRÜNLERLE ETKİLEŞİMLER VE DİĞER ETKİLEŞİM ŞEKİLLERİ: Birlikte kullanıldığında tinidazolün emilmesine bağlı olarak etkileşim görülebilir; asenokumarol, anisindion, dikumarol, fenindion, fenpropionon, varfarin, kolestramin, simetidin, siklosporin, disülfiram, fluoroürasili, fosfenitoi, ketokonazol, lityum, fenobarbital, fenitoi, rifampin, takrolimus, CYP3A4 indükleyicileri/inhibitörleri. Tiokonazolün emilmesine bağlı olarak etkileşim görülebilir; oksikodon. Lidokainin emilmesine bağlı olarak etkileşim görülebilir; propranolol, simetidin, antiaritmik ürünler, fenitoi veya barbitüratlar. KONTRENDİKASYONLARI: Bileşimindeki etkin maddelere veya bunların türevlerine karşı aşırı duyarlılığı bulunanlarda, gebeliğin ilk üç ayında, emzirme döneminde, organik nörolojik bozukluğu bulunanlarda, kan diskrazisi tablosu veya geçmişi bulunan hastalarda. ÖZEL KULLANIM UYARILARI VE ÖNLEMLERİ: Vajinal yoldan kullanılmaktadır. Geçici lökopeni ve nötrojeni gelişebilir. Tedavi süresince ve tedavi bittikten 3 gün sonrasında kadar alkol alınmamalıdır. Cinsel olgunluğa erişmemiş kız çocuklarında ve bakirelerde kullanılmamalıdır. Kardiyovasküler hastalıkları olanlarda dikkatli kullanılmalıdır. Kontraseptif diyafram ve prezervatifle temas etmemelidir. Lidokain özellikle yüksek dozda ve geniş deri yüzeylerine, bilhassa da oklüzyon altında uygulandığında kalp ritm bozuklukları, nefes alma zorluğu, koma ve hatta ölüme yol açabilmektedir. Spermidler, vajinal duşlar veya vajinal yoldan uygulanan diğer ürünlerle birlikte kullanılmamalıdır. Trikomonal vajinit vakalarında eş tedavisi de gereklidir. TİCARİ TAKDİM ŞEKLİ VE FİYATI: Trivag ovül (Ruhsat tarihi ve no: 29.09.2017-2017/742) 16,53 TL. (Fiyat Tarihi: Mayıs 2018) Ruhsat Sahibi: Bilim İlaç San. ve Tic. A.Ş. Son Güncelleme: Mayıs 2018. Reçeteli satılır. Daha geniş bilgi için "BİLİM İLAÇ SAN. ve TİC A.Ş. 34440 Beyoğlu-İSTANBUL" adresine başvurunuz. Ürünlerimiz ile ilgili advers olayları PHARMACOVIGILANCE@bilimilac.com adresine e-posta göndererek veya 0 212 365 1717 iletişim numarasını arayarak ürün güvenliği sorumlusuna bildirilebilir.

BL 5646 TRIV 07

# Journal of the Turkish-German Gynecological Association

## Editors in Chief

Cihat Ünlü

Acıbadem University, İstanbul, Turkey

 **ORCID ID:** orcid.org/0000-0001-5507-3993

Peter Mallmann

University of Cologne, Köln, Germany

 **ORCID ID:** orcid.org/0000-0001-5612-9733

## Editors

Gazi Yıldırım

Yeditepe University, İstanbul, Turkey

 **ORCID ID:** orcid.org/0000-0001-5100-6961

Yaprak Engin-Üstün

Zekai Tahir Burak Training and Research Hospital,  
Ankara, Turkey

 **ORCID ID:** orcid.org/0000-0002-1011-3848

## Associate Editors

Eray Çalışkan

Bahçeşehir University, İstanbul, Turkey

Cem Demirel

Memorial Hospital, İstanbul, Turkey

A. Kubilay Ertan

Klinikum Leverkusen, Leverkusen, Germany

Mete Güngör

Acıbadem University, İstanbul, Turkey

Mehmet Faruk Köse

Acıbadem University, Atakent Hospital, İstanbul, Turkey

Yavuz Emre Şükür

Ankara University, Ankara, Turkey

## Statistical Consultant

Murat Api

Zeynep Kamil Maternity Hospital, İstanbul, Turkey

## Ethics Editor

Emine Elif Vatanoğlu-Lutz

Yeditepe University, İstanbul, Turkey

## Editorial Board

Mohammed Aboulghar

Cairo University, Cairo, Egypt

Erkut Attar

İstanbul University, İstanbul, Turkey

Ali Ayhan

Başkent University, Ankara, Turkey

Richard Berkowitz

Columbia University, New York, USA

Serdar Bulun

Northwestern Memorial Hospital, Chicago, IL, USA

Frank A. Chervenak

Weill Cornell Medical College, New York, USA

Emine Çetin

Praenatalzentrum Hamburg, Hamburg, Germany

Thomas Ebner

Landes-frauen-und Kinderklinik, Linz, Austria

Victor Gornel

University of British Columbia, Vancouver, Canada

Bülent Gülekli

Dokuz Eylül University, İzmir, Turkey

Timur Gürkan

Gürkan Clinic, Ankara, Turkey

Yılmaz Güzel

American Hospital, İstanbul, Turkey

Safaa Al Hasani

University of Lübeck, Lübeck, Germany

Wolfgang Holzgreve

University of Basel, Basel, Switzerland

Mustafa Kara

Bozok University, Yozgat, Turkey

Ateş Karateke

Medeniyet University Hospital, İstanbul, Turkey

Dieter Maas

Kinderwunsch Zentrum, Stuttgart, Germany

Liselotte Mettler

Kiel University, Kiel, Germany

Mehmet Murat Naki

Acıbadem University, Atakent Hospital, İstanbul, Turkey

Camran Nezhat

University of California, San Francisco, USA

Ceana Nezhat

Nezhat Medical Center, Atlanta, USA

# Journal of the Turkish-German Gynecological Association

Farr Nezhat  
Cornell University, New York, USA  
Kutluk Oktay  
New York Medical College, New York, USA  
Fırat Ortaç  
Ankara University, Ankara, Turkey  
Recai Pabuçcu  
Centrum Clinic, Ankara, Turkey  
Özlem Pata  
Acıbadem University, İstanbul, Turkey  
Antonio Pellicer  
University of Valencia, Valencia, Spain  
Nadeem Abu Rustum  
Memorial Sloan-Kettering Cancer Center, New York, USA  
Sezai Şahmay  
İstanbul University, İstanbul, Turkey  
Achim Schneider  
Charité University, Berlin, Germany  
Jalid Sehouli  
Charité University, Berlin, Germany  
Akın Sivashoğlu  
Muğla University, Muğla, Turkey  
Michael Stark  
Helios Hospital, Berlin, Germany  
John F. Steege  
University of North Carolina, North Carolina, USA

H. Alper Tanrıverdi  
Adnan Menderes University, Aydın, Turkey  
Salih Taşkın  
Ankara University, Ankara, Turkey  
Erol Tavmergen  
Ege University, İzmir, Turkey  
Aydın Tekay  
University of Oulu, Oulu, Finland  
Bülent Tıraş  
Acıbadem University, İstanbul, Turkey  
Boris Tutschek  
Bern University, Bern, Switzerland  
Bülent Urman  
American Hospital, İstanbul, Turkey  
Yusuf Üstün  
Ankara Education and Research Hospital, Ankara, Turkey  
Klaus Vetter  
Vivantes Klinikum, Berlin, Germany  
Diethelm Wallwiener  
Universitäts-Frauenklinik Tübingen, Tübingen, Germany  
Paul Alan Wetter  
Miami University, Miami, USA  
Cemil Yaman  
General Hospital of Linz, Linz, Austria

## Editorial Office

Address: Abdi İpekçi Cad. 2/7 34367 Nişantaşı, İstanbul-Turkey  
Phone: +90 212 241 45 45  
Fax: +90 212 241 44 08  
E-mail: [tajev@tajev.org](mailto:tajev@tajev.org)



Official Journal of the  
Turkish-German Gynecological  
Education and Research Foundation  
[www.tajev.org](http://www.tajev.org)



Official Journal of the  
Turkish-German Gynecological  
Association  
[www.dtgg.de](http://www.dtgg.de)

Published by Turkish German Gynecology Education Research Foundation. / Türk Alman Jinekoloji Eğitim Araştırma ve Hizmet Vakfı tarafından yayınlanmaktadır.  
Abdi İpekçi Cad. 2/7 34367 Nişantaşı, İstanbul, Turkey



Galenos Publishing House  
Owner and Publisher  
Erkan Mor

Publication Coordinator  
Burak Sever

Web Coordinators  
Soner Yıldırım  
Turgay Akpınar

Graphics Department  
Ayda Alaca  
Çiğdem Birinci  
Gülşah Özgül

Project Coordinators  
Eda Kolukisa  
Hatice Balta  
Lütfiye Ayhan İrtem  
Sedanur Sert  
Zeynep Altındağ

Project Assistants  
Gamze Aksoy  
Nurcan Acarçay

Finance Coordinator  
Sevinç Çakmak

Research&Development  
Kevser Arslantürk

### Publisher Contact

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1  
34093 İstanbul, Turkey  
Phone: +90 (212) 621 99 25 Fax: +90 (212) 621 99 27  
E-mail: [info@galenos.com.tr](mailto:info@galenos.com.tr) / [yayin@galenos.com.tr](mailto:yayin@galenos.com.tr)  
Web: [www.galenos.com.tr](http://www.galenos.com.tr)

Printing at: Üniform Basım San. ve Turizm Ltd. Şti. Matbaacılar Sanayi  
Sitesi 1. Cad. No: 114 34204 Bağcılar, İstanbul, Turkey  
Phone: +90 (212) 429 10 00  
Printing Date: November 2018  
ISSN: 1309-0399 E-ISSN: 1309-0380  
International scientific journal published quarterly.



## *Aims and Scope*

Journal of the Turkish-German Gynecological Association is the official, open access publication of the Turkish-German Gynecological Education and Research Foundation and Turkish-German Gynecological Association and is published quarterly on March, June, September and December. It is an independent peer-reviewed international journal printed in English language. Manuscripts are reviewed in accordance with “double-blind peer review” process for both reviewers and authors.

The target audience of Journal of the Turkish-German Gynecological Association includes gynecologists and primary care physicians interested in gynecology practice. It publishes original works on all aspects of obstetrics and gynecology. The aim of Journal of the Turkish-German Gynecological Association is to publish high quality original research articles. In addition to research articles, reviews, editorials, letters to the editor, diagnostic puzzle are also published. Suggestions for new books are also welcomed. Journal of the Turkish-German Gynecological Association does not charge any fee for article submission or processing.

Journal of the Turkish-German Gynecological Association is indexed in PubMed Central, Thomson Reuters – Emerging Sources Citation Index, EMBASE, Scopus, CINAHL, Gale/Cengage Learning, EBSCO, DOAJ, HINARI, ProQuest, Index Copernicus, TÜBİTAK ULAKBİM TR Index and Türkiye Citation Index.

### **Open Access Policy**

This journal provides immediate open access to its content on the principle that making research freely available to the public supporting a greater global exchange of knowledge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI) <http://www.budapestopenaccessinitiative.org/>. By “open access” to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. The only constraint on reproduction and distribution, and the only role for copyright in this domain, is right of authors to retain control over the integrity of their work and the right to be properly acknowledged and cited.

### **Subscription Information**

Journal of the Turkish-German Gynecological Association is distributed free of charge to all physicians, specialists in gynecology field. For subscription please contact Turkish-German Gynecological Education and Research Foundation at [www.jtgga.org](http://www.jtgga.org). The access to tables of contents, abstracts and full texts of all articles published since 2000 are free to all readers via the journal's webpage. Visit the journal's home pages for details of the aims and scope and instruction to authors.

### **Permission**

Permission, required for use any published under CC BY-NC-ND license with commercial purposes (selling, etc.) to protect copyright owner and author rights, may be obtained from the Editorial Office:

Editor: Cihat Ünlü, M.D.

Address: Abdi İpekçi Cad. 2/7 34367 Nişantaşı-İstanbul-Turkey

Phone: +90 212 241 45 45 Fax: +90 212 241 44 08

E-mail: [tajev@tajev.org](mailto:tajev@tajev.org)

### **Advertising**

Enquiries concerning advertisements should be addressed to Editorial Office:

Editor: Cihat Ünlü, M.D.

Address: Abdi İpekçi Cad. 2/7 34367 Nişantaşı-İstanbul-Turkey

Phone: +90 212 241 45 45 Fax: +90 212 241 44 08

E-mail: [tajev@tajev.org](mailto:tajev@tajev.org)

Instructions for Authors

Instructions for authors page at the journal is available in the journal content and at [www.jtgga.org](http://www.jtgga.org).

### **Disclaimer**

The statements and opinions contained in the articles of the Journal of the Turkish-German Gynecological Association are solely those of the individual authors and contributors not of the Turkish-German Gynecological Education and Research Foundation, Turkish-German Gynecological Association, Turkish Society of Reproductive Medicine, Editorial Board or Galenos.

The journal is printed on acid-free paper.

## *Instructions for Authors*

The “Journal of the Turkish-German Gynecological Association” (ISSN 1309-0399; Abbreviated as “J Turk Ger Gynecol Assoc”) is the official, open access publication of the Turkish-German Gynecological Education and Research Foundation and the Turkish-German Gynecological Association. Formerly named “ARTEMIS”, the journal is published quarterly (March, June, September, December) in English and publishes original peer-reviewed articles, reviews, and commentaries in the fields of Gynecology, Gynecologic Oncology, Endocrinology & Reproductive Medicine and Obstetrics. Case reports are not accepted for publication. Reviews will be considered for publication only if they are prepared by authors who have at least three published manuscripts in international peer reviewed journals and these studies should be cited in the review. Otherwise only invited reviews will be considered for peer review from qualified experts in the area.

The “Journal of the Turkish-German Gynecological Association” is a peer reviewed journal and adheres to the highest ethical and editorial standards. The Editorial Board of the journal endorses the editorial policy statements approved by the WAME Board of Directors. The journal is in compliance with the Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals published by the International Committee of Medical Journal Editors (updated December 2016, [www.icmje.org](http://www.icmje.org)). The editors also adhere to the Committee on Publications Ethics (COPE) recommendations (<http://publicationethics.org>).

### **Submission of Manuscripts**

All manuscripts must be submitted via the self explanatory online submission system which is available through the journal’s web page at [www.jtgga.org](http://www.jtgga.org). Manuscripts submitted via any other medium will not be evaluated. During the submission please make sure to provide all requested information to prevent any possible delays in the evaluation process.

The main document and the tables, should be prepared with “Microsoft Office Word software”. Times New Roman font (size 12) should be used throughout the main document with 1.5 line spacing. The side margins of the main document should be set at 25 mm from all sides.

The ORCID (Open Researcher and Contributor ID) number of the all authors should be provided while sending the manuscript. A free registration can be done at <http://orcid.org>.

The figures should be submitted separately through the submission system in .JPG or .TIFF format. Please do not embed the figures in the main document. Make sure that the minimum resolution of each submitted figure is 300 DPI.

A cover letter and a title page should be provided with all submissions. It should be stated in the cover letter that the manuscript was not previously published in any other publication, that it is not accepted for publication in another publication and that it is not under review for possible publication elsewhere.

Before completing your submission, please make sure to check the PDF proof of your manuscript which will be generated by the manuscript submission system and make sure that all items of the submission are displayed correctly.

Authors who have any queries regarding the submission process can contact the journal’s editorial office:

### **Editorial Office:**

Abdi İpekçi Caddesi 2/7 Nişantaşı, İstanbul / Turkey

+90 212 217 17 00

[scholarone@jtgga.org](mailto:scholarone@jtgga.org)

### **Editorial Policies**

All manuscripts will be evaluated by the editorial board for their scientific contribution, originality and content. Authors are responsible for the accuracy of the data presented in their manuscript. The journal retains the right to make appropriate changes on the grammar and language of the manuscript when needed. When suitable the manuscript will be send to the corresponding author for revision. The manuscript, if accepted for publication, will become the property of the journal and copyright will be taken out in the name of the journal. All manuscripts submitted to the journal for publication are checked by Crossref Similarity Check powered by iThenticate software for plagiarism. If plagiarism is detected, relevant institutions may be notified. In this case, the authors might be asked to disclose their raw data to relevant institutions.

### **Peer-Review Process**

Each manuscript submitted to Journal of the Turkish-German Gynecological Association is subject to an initial review by the editorial office in order to determine if it is aligned with the journal’s aims and scope, and complies with essential requirements. Manuscripts sent for peer review will be assigned to one of the journal’s associate editors that has expertise relevant to the manuscript’s content. All accepted manuscripts are sent to a statistical and English language editor before publishing. Once papers have been reviewed, the reviewers’ comments are sent to the Editor, who will then make a preliminary decision on the paper. At this stage, based on the feedback from reviewers, manuscripts can be accepted, rejected, or revisions can be recommended. Following initial peer-review, articles judged worthy of further consideration often require revision. Revised manuscripts generally must be received within 3 months of the date of the initial decision. Extensions must be requested from the Associate Editor at least 2 weeks before the 3-month revision deadline expires; Journal of the Turkish-German Gynecological Association will reject manuscripts that are not received within the 3-month revision deadline. Manuscripts with extensive revision recommendations will be sent for further review (usually by the same reviewers) upon their re-submission. When a manuscript is finally accepted for publication, the Technical Editor undertakes a final edit and a marked-up copy will be e-mailed to the corresponding author for review and to make any final adjustments.

## *Instructions for Authors*

Full text of all articles can be downloaded at the web site of the journal [www.jtgga.org](http://www.jtgga.org).

### **Preparation of Manuscripts**

The “Journal of the Turkish-German Gynecological Association” follows the “Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals” (International Committee of Medical Journal Editors - <http://www.icmje.org/>). Upon submission of the manuscript, authors are to indicate the type of trial/research and provide the checklist of the following guidelines when appropriate:

CONSORT statement for randomized controlled trials (Moher D, Schultz KF, Altman D, for the CONSORT Group. The CONSORT statement revised recommendations for improving the quality of reports of parallel group randomized trials. JAMA 2001; 285: 1987-91) (<http://www.consort-statement.org/>),

PRISMA for preferred reporting items for systematic reviews and meta-analyses (Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 2009; 6(7): e1000097.) (<http://www.prisma-statement.org/>),

STARD checklist for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al, for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Ann Intern Med 2003;138:40-4.) (<http://www.stard-statement.org/>),

STROBE statement-checklist of items that should be included in reports of observational studies (<http://www.strobe-statement.org/>),

MOOSE guidelines for meta-analysis and systemic reviews of observational studies (Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting Meta-analysis of observational Studies in Epidemiology (MOOSE) group. JAMA 2000; 283: 2008-12).

### **Human and Animal Studies**

Manuscripts submitted for publication must contain a statement to the effect that all human studies have been reviewed by the appropriate ethics committee and have therefore been performed in accordance with the ethical standards described in an appropriate version of the 1964 Declaration of Helsinki, as revised in 2013. It should also be stated clearly in the text that all persons gave their informed consent prior to their inclusion in the study. Details that might disclose the identity of the subjects under study should be omitted. Experimental animal studies should be presented with the disclosure of the appropriateness to the institutional/national/international ethical guides on care and use of laboratory animals.

Reports of animal experiments must state that the “Principles of laboratory animal care” (NIH publication No. 86-23, revised 1985) were

followed, as well as specific national laws where applicable.

The editors reserve the right to reject manuscripts that do not comply with the above-mentioned requirements. The author will be held responsible for false statements or for failure to fulfil the above mentioned requirements.

In a cover letter the authors should state if any of the material in the manuscript is submitted or planned for publication elsewhere in any form including electronic media. The cover letter must contain address, telephone, fax and the e-mail address of the corresponding author.

### **Conflict of Interest**

Authors must state whether or not there is the absence or presence of a conflict of interest. They must indicate whether or not they have a financial relationship with the organization that sponsored the research. They should also state that they have had full control of all primary data and that they agree to allow the Journal to review their data if requested. Therefore manuscripts should be accompanied by the “Conflict of Interest Disclosure Form.” The form can be obtained from the journal webpage ([www.jtgga.org](http://www.jtgga.org)).

### **Copyright**

The author(s) transfer(s) the copyright to his/her article to the Journal of the Turkish-German Gynecological Association effective if and when the article is accepted for publication. The copyright covers the exclusive and unlimited rights to reproduce and distribute the article in any form of reproduction (printing, electronic media or any other form); it also covers translation rights for all languages and countries. For U.S. authors the copyright is transferred to the extent transferable.

Submissions must be accompanied by the “Copyright Transfer Statement”. The form is available for download on the journal’s manuscript submission and evaluation site. The copyright transfer form should be signed by all contributing authors and a scanned version of the wet signed document should be submitted.

### **COPYRIGHT TRANSFER FORM**

#### **Manuscript Specifications**

Submissions should have the following parts.

#### **Title Page**

A separate title page should be submitted with all submissions and should include the title of the article, name(s), affiliations and major degree(s) of the author(s) and source(s) of the work or study, a short title (running head) of no more than 50 characters. The name, address, telephone (including the mobile phone number) and fax numbers and e-mail address of the corresponding author should be listed on the title page.

#### **Abstract**

All manuscripts should be accompanied by an abstract. A structured abstract is required with original articles and it should include the

## *Instructions for Authors*

following subheadings: Objective, Material and Methods, Results and Conclusion. A structured abstract is not required with review articles. The abstract should be limited to 250 words for original articles and review articles.

### **Keywords**

Below the abstract provide 3 to 5 Keywords. Abbreviations should not be used as Keywords. Keywords should be picked from the Medical Subject Headings (MeSH) list ([www.nlm.nih.gov/mesh/MBrowser.html](http://www.nlm.nih.gov/mesh/MBrowser.html)).

Original manuscripts should have the following sections.

### **Introduction**

State concisely the purpose and rationale for the study and cite only the most pertinent references as background.

### **Material and Methods**

Describe the plan, the patients, experimental animals, material and controls, the methods and procedures utilized, and the statistical method(s) employed. In addition to the normal peer review procedure, all randomized controlled trials (RCTs) submitted to the journal are sent to members of a team of professional medical statisticians for reviewing.

Address "Institutional Review Board" issues as stated above. State the generic names of the drugs with the name and country of the manufactures. Provide information on informed consent and ethics committee approval.

### **Results**

Present the detailed findings supported with statistical methods. Figures and tables should supplement, not duplicate the text; presentation of data in either one or the other will suffice. Emphasize only your important observations; do not compare your observations with those of others. Such comparisons and comments are reserved for the discussion section.

### **Discussion**

State the importance and significance of your findings but do not repeat the details given in the Results section. Limit your opinions to those strictly indicated by the facts in your report. Compare your finding with those of others. Provide information on the limitations and strenghts of the study. No new data are to be presented in this section.

Reviews must contain the section with critical evaluation and inefficiency of evidences and explanations to guide further studies in the end.

### **References**

Number references in Arabic numerals consecutively in the order in which they are mentioned in the text starting with number "1". Use the form of the "Uniform Requirements for Manuscript Submitted to Biomedical Journals" (<http://www.amaassn.org/public/peer/wame/uniform.htm>). If number of authors exceeds seven, list first 6 authors followed by et al.

Journal titles should conform to the abbreviations used in "Cumulated Index Medicus".

Examples:

#### **Journals;**

Harrington K, Cooper D, Lees C, Hecher K, Campbell S. Doppler ultrasound of the uterine arteries: the importance of bilateral notching in the prediction of preeclampsia, placental abruption or delivery of a small-for-gestational-age baby. *Ultrasound Obstet Gynecol* 1996; 7: 182-8.

#### **Book chapter;**

Ertan AK, Tanriverdi HA, Schmidt W. Doppler Sonography in Obstetrics. In: Kurjak A, Chervenak FA, editors. *Ian Donald School Textbook of Ultrasound in Obstetrics and Gynecology*. New Delhi, India: Jaypee Brothers; 2003. p. 395-421.

#### **Book;**

Kohler G; Egelkraut H. In Kohler G and Egelkraut H (edts). *Munchener Funktionelle Entwicklungsdiagnostik im zweitem und dritten Lebensjahr. Handanweisung*. Munchen: Uni Munchen, Institut fur Soziale Paediatric und Jugendmedizin; 1984.

**Review Article:** Review articles are comprehensive analyses of specific topics in medicine. All review articles will undergo peer review prior to acceptance. Review articles must not exceed 5000 words for the main text (excluding references, tables, and figure legends) and 400 words for the abstract. A review article can be signed by no more than 5 authors and can have no more than 80 references. Also there should be references to authors' own two works.

**Editorial:** Editorials are a brief remark on an article published in the journal by the reviewer of the article or by a relevant authority. Most comments are invited by the Editor-in-Chief but spontaneous comments are welcome. It must not exceed 700 words (excluding references). An abstract is not required with this type of manuscripts. It can have no more than 15 references and 1 figure or table.

**Letter to the Editor:** Letters in reference to a journal article must not exceed 500 words (excluding references). Letters not related to a journal article must also not exceed 500 words (excluding references). An abstract is not required with this type of manuscripts. A letter can be signed by no more than 4 authors and can have no more than 5 references and 1 figure or table.

#### **Tables and Figures**

Tables should be included in the main document after the reference list. Color figures or gray-scale images must be at minimum 300 DPI resolution. Figures should be submitted in ".tiff", ".jpg" or ".pdf" format and should not be embedded in the main document. Tables and figures consecutively in the order they are referred to within the main text. Each table must have a title indicating the purpose or content of the table. Do not use internal horizontal and vertical rules. Place explanatory matter in footnotes, not in the heading. Explain



## *Instructions for Authors*

all abbreviations used in each table in footnotes. Each figure must have an accompanying descriptive legend defining abbreviations or symbols found in the figure. If photographs of people are used, the subjects must be unidentifiable and the subjects must have provided written permission to use the photograph. There is no charge for color illustrations.

### **Units of Measurement and Abbreviations**

Units of measurement should be in Système International (SI) units. Abbreviations should be avoided in the title. Use only standard abbreviations. If abbreviations are used in the text, they should be defined in the text when first used.

### **Revisions**

Revisions will be sent to the corresponding author. Revisions must be returned as quickly as possible in order not to delay publication. Deadline for the return of revisions is 30 days. The editorial board retains the right to decline manuscripts from review if authors' response delays beyond 30 days. All reviewers' comments should be addressed and a revision note containing the author's responses to the reviewers' comments should be submitted with the revised manuscript. An annotated copy of the main document should be submitted with revisions. The Editors have the right to withdraw or retract the paper from the scientific literature in case of proven allegations of misconduct. The second plagiarism check will be made after revision.

### **Accepted Articles**

#### **Epub Ahead of Print**

The abstract of the accepted manuscripts will be shown in PubMed as "Epub ahead of print".

An "Epub ahead of print" signifies that the electronic version of an article has been published online (at PubMed and the journal's website [www.jtgga.org](http://www.jtgga.org)), but that the print version of the article has not yet been published.

If an article was published online ahead of print, the date it was published online, along with the digital object identifier (DOI) to ensure that all article versions can be identified, should follow the acceptance date footnote (or, if the journal does not publish the acceptance date, it should be placed first).

#### **Journal and Society Web sites:**

**[www.dtgg.de](http://www.dtgg.de)**  
**(Deutsch-Türkische Gynäkologengesellschaft)**

**[www.tajev.org](http://www.tajev.org)**  
**(Turkish-German Gynecological Education and Research Foundation)**

**[www.jtgga.org](http://www.jtgga.org)**  
**(Journal of the Turkish-German Gynecological Association)**

- Citation of published manuscripts in J Turk Ger Gynecol Assoc should be as follows: Tews G, Ebner T, Sommergruber M, Marianne M, Omar S. Ectopic Pregnancy in the Assisted Reproduction. J Turk Ger Gynecol Assoc 2004; 5: 59-62.

- The Journal name should be abbreviated as "J Turk Ger Gynecol Assoc"

© All rights of the articles published in J Turk Ger Gynecol Assoc (Formerly "Artemis") are reserved by the Turkish-German Gynecological Association.

# HaemoCer™ PLUS



Doğal  
Güvenli  
Etkili

HaemoCer™ PLUS Emilebilir  
Polisakarid Hemostat (APH)  
BioCer'in Polisakarid  
Ultrahidrofil Tekrar Emilebilir  
Mühendislik(PURE) prosesi  
ile yaratılan tescilli bir  
teknolojidir.

**HaemoCer™ PLUS**  
hayvani veya beşeri bileşen  
içermeyen, bitki esaslı yeniden  
emilebilir bir hemostattır.

Hemostat kimyasal veya  
farmasötik malzeme  
katılımı olmaksızın normal  
fizyolojik pıhtılaşma  
kaskadının süratle hızlandırılması  
ile meydana gelir. Bağımsız  
çalışmalar bitki esaslı  
hemostatik tozların  
(polisakaridler) ameliyat  
sonrası adhezyonları  
azalttığını göstermiştir.

made in  
GERMANY

## Kullanım kolaylığı, DAPI uygulama tekniği

<p><b>Kurulayın</b> Göllenmiş kanı aspirasyon veya gazlı bez ile uzaklaştırın</p>	<p><b>Sürün</b> HaemoCer™ PLUS'ı yara yerine hemen ve kapsamlı şekilde sürün</p>	<p><b>Bastırın</b> Kuru gazlı bez kullanarak yara üzerine hafifçe kompresyon yapın – yaygın kanama durumunda 2 dakikaya</p>	<p><b>Lavaj</b> Jel matrisin yara yerinde kalmasını sağlamak için gazlı bezi usulca çıkarmadan önce iyice lavaj yapın</p>

**BiSer** Medikal®

BİOSER MEDİKAL DIŞ TİC.LTD.ŞTİ.

Yukarı Mahallesi İstasyon Caddesi | Tel +90 216 339 00 30 | www.biosermedikal.com  
Yankı Sokak Deniz Apt. No: 11/2 | Fax +90 216 339 00 31 | info@biosermedikal.com  
Kartal, İstanbul, TURKEY



## Contents

### ORIGINAL INVESTIGATIONS

- 182 The relationship between maternal age, body mass index, and the rate of preterm birth  
*Joachim W. Dudenhausen, Mirjam Kunze, Ursula Wittwer-Backofen, Hans Peter Hagenah, Alexander Strauss, Veronika Günther, İbrahim Alkatout, Amos Grunebaum, Manfred Voigt; Berlin, Freiburg, Rotenburg, Kiel, Germany, New York, USA*
- 187 Psychometric properties of the Persian language version of the Female Sexual Function index among postmenopausal women  
*Masaudeh Babakhanian, Masumeh Ghazanfarpour, Mona Najaf Najafi, Fatemeh Rajab Dizavandi, Talat Khadivzadeh, Mino Safaei, Mehdi Jabbari Nooghabi; Semnan, Kerman, Mashhad, Iran*
- 193 Glutathione S-transferase omega gene polymorphism as a biomarker for human papilloma virus and cervical cancer in Iranian women  
*Sara Zamani, Amir Sohrabi, Marjan Rahnamaye-Farzami, Seyed Masoud Hosseini; Tehran, Iran, Stockholm, Sweden*
- 201 Prognostic effect of isolated paraaortic nodal spread in endometrial cancer  
*Osman Türkmen, Derman Başaran, Alper Karalök, Günsu Cömert Kimyon, Tolga Taşçı, Işın Üreyen, Gökhan Tulunay, Taner Turan; Gaziantep, Ankara, İstanbul, Antalya, Turkey*
- 206 Outcome after prenatal diagnosis of fetal urinary tract abnormalities: A tertiary center experience  
*Ayşegül Özel, Ebru Alıcı Davutoğlu, Hakan Erenel, Mehmet Fatih Karşı, Sevim Özge Korkmaz, Rıza Madazlı; İstanbul, Turkey*
- 210 The value of autopsy to determine the cause of maternal deaths in Turkey  
*Hüseyin Levent Keskin, Yaprak Engin-Üstün, Sema Sanisoğlu, Selma Karaahmetoğlu, Ayşe Özcan, Şevki Çelen, Saniye Tontuş, Yusuf Üstün, Veli Ongun, İrfan Şencan; Ankara, Turkey*
- 215 The assessment of thyroid autoantibody levels in euthyroid patients with polycystic ovary syndrome  
*Sema Hepşen, Melia Karaköse, Erman Çakal, Sanem Öztekin, İlknur Ünsal, Pınar Akhanlı, Bekir Uçan, Mustafa Özbek; Ankara, Sivas, Turkey*

### REVIEW

- 220 The effect of nutrient supplementation in the management of polycystic ovary syndrome-associated metabolic dysfunctions: A critical review  
*Elif Günel, Aylin Yaba, Bayram Yılmaz; İstanbul, Turkey*

### QUIZ

- 233 Recurrent oocyte maturation arrest in in vitro fertilization cycles: Case report  
*Banu Seven Yüksel, Nafiye Yılmaz, Evrim Nil Uğurlu, Cavidan Gülerman, Yaprak Engin-Üstün; Ankara, Turkey*

### VIDEO ARTICLE

- 235 How to facilitate laparoscopic extraperitoneal suture?  
*Erdoğan Nohuz, Nicolas Bourdel; Thiers, Clermont-Ferrand, France*

### ERRATUM

### INDEX

2018 Referee Index  
2018 Subject Index  
2018 Author Index





TURKISH-GERMAN GYNECOLOGICAL  
EDUCATION and RESEARCH FOUNDATION

# Journal of the Turkish-German Gynecological Association

## MOST CITED AND MOST VIEWED ARTICLES

Dear Readers,

We would like to present our most cited and most viewed articles on different platforms, like our website, Web of Science, Scopus and PubMed.

### Website



Prognostic effect of isolated paraaortic nodal spread in endometrial cancer by  
Osman Türkmen, Derman Başaran,  
Alper Karalok, Günsu Cömert Kimyon,  
Tolga Taşçı, Işın Üreyen, Gökhan Tulunay,  
Taner Turan

### Web of Science



Impact of obesity on infertility in women by  
Zeynep Özcan Dağ, Berna Dilbaz

### Scopus



Impact of obesity on infertility in women by  
Zeynep Özcan Dağ, Berna Dilbaz

### PubMed



Placental location and pregnancy outcome by  
Shumaila Zia



 **Editor-in-Chief**  
Cihat Ünlü  
Peter Mallmann

 **Editors**  
Gazi Yıldırım  
Yaprak Engin-Üstün





# VIDEO ARTICLE



Our journal started to accept video articles for evaluation. Video articles are a new method for science, a visualisation helps authors to present their work effectively and can be submitted to submission system. For detailed information, please check our journal's webpage.



TURKISH-GERMAN  
GYNECOLOGICAL  
EDUCATION and  
RESEARCH FOUNDATION



*Journal of the  
Turkish-German  
Gynecological  
Association*